

TUBA

Taizhou Tool-bar Machinery Co., Ltd.

Add: Yingbin Road, Songmen Town, Wenling, Zhejiang, China

Tel: +86-576-86229528

Fax: +86-576-86622508

Website: TubaSprayGun.com

www.tool-bar.cn

Email: sales.tuba@gmail.com; sales@tool-bar.cn



E-catalogue 2018 - 2019

www.TubaSprayGun.com

www.Tool-Bar.cn

TUBA

AFFORDABLE HI-END SPRAY GUN



COMPANY PROFILE

Founded by talented engineer Mr. Rifu Zheng in 2011, Tool-bar is a China-based company that manufactures professional and industrial paint spraying equipment and accessories. In just few years, Tool-bar has built its reputation in the spray finishing industry with its quality products.

Combined with its engineering-driven culture, rich industrial experience and manufacturing know-how, Tool-bar is the only manufacturer in the world that can provide a full line hi-end spray guns with totally no o-ring design for extended durability and easy cleaning.

In the automotive refinishing market, Tool-bar equipment provides excellent atomization of high-solids clears that leads to glass like finishes. Tool-bar equipment is optimized to virtually eliminate mottling and striping with metallic base coats and produce excellent color match.

Tool-bar's goal is to re-set the standard for spray finishing through its continuous research and development, innovative product line, and commitment to customer service.




TABLE OF CONTENTS

Tool-bar Spray Gun

Manual Spray Gun

P01-17

Auto Refinishing Spary Gun

TH101AG/BG	P02-03
TH101AS	P04
TH102AG	P05
TH102AG-NS Non-stick edition	P06
TH102BG Round Pattern Edition	P06
TH102AG-ML Metal Flake Spray Gun	P07
TH201AG	P08-09

Industrial Spray Gun

TR100AG	P11
TR100AS	P12
TR100AP	P13
TR200AG	P14
TR200AS	P15
TR200AP	P16
TM100A For re ease agent	P17
TP300 Airless spray gun	P17

Industrial Automatic Spray Gun

P18-19

Premium Accessories

P20-23

AUTO REFINISHING

Manual Spray Gun



TH101AG/BG

Auto Refinishing Spray Gun

Top Coating & General Purpose
Gravity Feed



TH-101AG
Die-casting body



HVLP



MP



TH-101BG
Forged body

Auto Refinishing Spray Gun HVLP/MP

Top Coating & General Purpose
Gravity Feed




No O-ring
Design




High Grade
S.S. Tip
& Needle




Unique Dual
Color Ring
& Knobs



HVLP
200-240mm
7.9-9.4in



MP
240-280mm
9.4-11in



MODEL:TH101AG/BG

Atomization Technology		HVLP	MP
Model		TH101AG/TH101BG	TH101AG/TH101BG
Nozzle Range		1.0-2.0mm	1.0-2.0mm
Pattern (1.3mm)		200-240mm	240-280mm
		7.9-9.4in	9.4-11in
Recommended Air Inlet Pressure		2.0bar	2.5bar
		29psi	36psi
Air Consumption		400l/min	300l/min
		14cfm	10.6cfm
Air Inlet		G/NPT 1/4"	
Cup		600ml plastic	600ml plastic
Weight (gun only)		498g	498g
Material	Body	Aluminum Die-casted/Forged	Aluminum Die-casted/Forged
	Air Cap	Special Selected Brass	
	Nozzle/Fluid Tip	High Grade Stainless Steel	
	Needle	High Grade Stainless Steel	



High Flow Professional
Swivel Connectors



High Flow Professional Air
Pressure Regulator With Gauge

Auto Refinishing Spray Gun HVLP/MP

Top Coating & General Purpose
Siphon Feed



No O-ring
Design




Unique Dual
Color Ring
& Knobs




High Grade
S.S Tip
& Needle



Patented No-glue,
Detachable Paint
Pick-up System



HVLP
200-240mm
7.9-9.4in



MP
220-260mm
8.7-10.2in



MODEL:TH101AS

Atomization Technology		HVLP	MP
Model		TH101AS	TH101AS
Nozzle Range		1.0-2.0mm	1.0-2.0mm
Pattern (1.3mm)		200-240mm	220-260mm
		7.9-9.4in	8.7-10.2in
Recommended Air Inlet Pressure		2.5bar	3.0bar
		36psi	43.5psi
Air Consumption		400l/min	300l/min
		14cfm	10.6cfm
Air Inlet		G/NPT 1/4"	
Cup		1000ml Aluminum	1000ml Aluminum
Weight (gun only)		548g	548g
Material	Body	Die-casted Aluminum	Die-casted Aluminum
	Air Cap	Special Selected Brass	
	Nozzle/Fluid Tip	High Grade Stainless Steel	
	Needle	High Grade Stainless Steel	



Auto Refinishing Mini Spray Gun HVLP

Top Coating & General Purpose
Gravity Feed



No O-ring
Design




Unique Dual
Color Ring
& Knobs




High Grade
S.S Tip
& Needle



2-FINGER
TRIGGER




HVLP
140-180mm
5.5-7.1in



MODEL:TH102AG


Atomization Technology		HVLP
Model		TH102AG
Nozzle Range		0.5-1.2mm
Pattern (1.0mm)		140-180mm
		5.5-7.1in
Recommended Air Inlet Pressure		1.5bar
		22psi
Air Consumption		200l/min
		7cfm
Air Inlet		G/NPT 1/4"
Cup		100ml plastic
Weight (gun only)		322g
Material	Body	Die-casted Aluminum
	Air Cap	Special Selected Brass
	Nozzle/Fluid Tip	High Grade Stainless Steel
	Needle	High Grade Stainless Steel



Auto Refinishing Mini Spray Gun

HVLP


NON-Stick Edition
Gravity Feed



TH102AG-NS
Non-stick edition

Mini Spray Gun


Round Pattern Edition
Gravity Feed



TH102BG
Round Pattern Edition

Mini Spray Gun For Metal Flakes

Gravity Feed



- ▶ Patented cup liner for smooth material delivery
- ▶ Specially for Metal Flakes and High Solid paints
- ▶ 2.0mm special nozzle setup



TH201AG

Top Grade Auto Refinishing Spray Gun

All Climates
Gravity Feed

High Transfer Rate
H.V.L.P
Max. Material Saving

High Efficiency
M.P
Max. Application Speed

High Efficiency +
H.P
Finest Painting Quality



TH201AG

TH201AG-NS
Non-stick edition



HVLP



MP



HP



Top Grade Auto Refinishing Spray Gun HVLP/MP/HP

All Climates
Gravity Feed



No O-ring
Design



Left Hand
Friendly




High Grade
S.S Tip
& Needle



Wide
Pattern



Waterborne
Compatible



MODEL:TH201AG

Atomization Technology		HVLP	MP	HP
Model		TH201AG		
Nozzle Range		1.0-2.5mm		
Pattern (1.2-1.4mm)		300-325mm	285-300mm	290-310mm
		11.8-12.8in	11.2-11.8in	11.4-12.2in
Recommended Air Inlet Pressure		1.8bar	2bar	2bar
		26psi	29psi	29psi
Air Consumption		465l/min	350l/min	275l/min
		16.4cfm	12.4cfm	9.7cfm
Air Inlet		G/NPT 1/4"		
Cup		600ml plastic		
Weight(gun only)		492g		
Material	Body	Die-casted Aluminum		
	Air Cap	Special Selected Brass		
	Nozzle/Fluid Tip	High Grade Stainless Steel		
	Needle	High Grade Stainless Steel		



INDUSTRIAL

Manual Spray Gun



Industrial Spray Gun

Compact Size
Side-gravity Feed



No O-ring
Design



Left Hand
Friendly



High Grade
S.S Tip
& Needle



Light Weight
Body



MODEL:TR100AG

Atomization Technology		NP (between LP and MP)	LP
Model		TR100AG	
Nozzle Range		1.0-1.8mm	1.3mm
Pattern (1.3mm)		200-220mm	155-170mm
		7.9-8.7in	6.1-6.7in
Recommended Air Inlet Pressure		2.5bar	2-2.5bar
		36psi	29-36psi
Air Consumption		210l/min	250l/min@2.5bar
		7.4cfm	8.8cfm
Air Inlet		G/NPT 1/4"	
Cup		400ml	400ml
		Aluminum	Aluminum
Weight(gun only)		295g	
Material	Body	Die-casted Aluminum	
	Air Cap	Special Selected Brass	
	Nozzle/Fluid Tip	High Grade Stainless Steel	
	Needle	High Grade Stainless Steel	



Non-stick cup



High Flow Professional
Swivel Connectors



High Flow Professional Air
Pressure Regulator With Gauge

Industrial Spray Gun

Compact Size
Siphon Feed



No O-ring
Design



Left Hand
Friendly



High Grade
S.S Tip
& Needle



Light Weight
Body



MODEL:TR100AS

Atomization Technology		NP (between LP and MP)	LP
Model		TR100AS	TR100AS
Nozzle Range		1.0-1.8mm	1.3mm
Pattern (1.3mm)		200-220mm	140-145mm
Recommended Air Inlet Pressure		7,9-8,7in	5,5-5,7in
		3bar	2-2,5bar
Air Consumption		43,5psi	29-36psi
		210l/min	250l/min@2,5bar
Air Inlet		7,4cfm	8,8cfm
		G/NPT 1/4"	
Cup		600ml	600ml
		Aluminum	Aluminum
Weight(gun only)		295g	
Material	Body	Die-casted Aluminum	
	Air Cap	Special Selected Brass	
	Nozzle/Fluid Tip	High Grade Stainless Steel	
	Needle	High Grade Stainless Steel	



Industrial Spray Gun

Compact Size
Pressure Feed



No O-ring
Design



Left Hand
Friendly



High Grade
S.S Tip
& Needle



Light Weight
Body



MODEL:TR100AP

Atomization Technology		Pressure Feed
Model		TR100AP
Nozzle Range		1.0-1.8mm
Pattern (1.3mm)		240-300mm
Recommended Air Inlet Pressure		9,4-11,8in
		2,5bar
Air Consumption		36psi
		210l/min
Air Inlet		7,4cfm
		G/NPT 1/4"
Cup		n/a
Weight(gun only)		295g
Material	Body	Die-casted Aluminum
	Air Cap	Special Selected Brass
	Nozzle/Fluid Tip	High Grade Stainless Steel
	Needle	High Grade Stainless Steel



Industrial Spray Gun

Full Size
Gravity Feed



No O-ring Design



Left Hand Friendly



100% Stainless steel fluid passages



Light Weight Body



Wide Pattern



Waterborne Compatible



True LVLP technology



100% stainless steel fluid passages

MODEL:TR200AG

Atomization Technology		LVLP	HVLP	MP
Model		TR200AG/BG		
Nozzle Range		1.0-3.0mm		
Pattern (1.3mm)		280mm	300mm	290mm
		11in	11.8in	11.4in
Air Inlet Pressure		1.2bar	1.8bar	2.0bar
		17psi	26psi	29psi
Air Consumption		270l/min	465l/min	370l/min
		9.5cfm	16.4cfm	13.1cfm
Air Inlet		G/NPT 1/4		
Cup		600ml		
		Plastic		
Weight(gun only)		446g		
Material	Body	Die-casted Aluminum with built-in stainless steel fluid passages		
	Air Cap	Special Selected Brass		
	Nozzle/Fluid Tip	High grade stainless steel/hardened steel (optional)		
	Needle	High grade stainless steel/hardened steel (optional)		



Industrial Spray Gun

Full Size
Siphon Feed



No O-ring Design



Patented No-glue, Detachable Paint Pick-up System



100% Stainless steel fluid passages



Light Weight Body



Wide Pattern



Waterborne Compatible



True LVLP technology



MODEL:TR200AS

Atomization Technology		LVLP	MP
Model		TR200AS	
Nozzle Range		1.3,1.4 mm	1.5, 1.7, 1.8, 2.0, 2.5mm
Pattern		250-270 mm	290-380 mm
		9.8-10.6 in	11.4-15 in
Air Inlet Pressure		1.6bar	2.5bar
		24psi	36psi
Air Consumption		250l/min	270l/min
		8.8cfm	9.5cfm
Air Inlet		G/NPT 1/4"	
Cup		600/1000ml Plastic	
Weight(gun only)		446g	
Material	Body	Die-casted Aluminum with built-in stainless steel fluid passages	
	Air Cap	Special Selected Brass	
	Nozzle/Fluid Tip	High grade stainless steel/hardened steel (optional)	
	Needle	High grade stainless steel/hardened steel (optional)	



Industrial Spray Gun

Full Size
Pressure Feed



No O-ring Design



Left Hand Friendly



100% Stainless steel fluid passages



Light Weight Body



Hardened Nozzle & Needle (Optional)



Waterborne Compatible



True LVLP technology



MODEL:TR200AP

Atomization Technology	LVLP	MP
Model	TR200AP	
Nozzle Range	1.2mm	2.0, 2.5mm
Pattern	300 mm	370mm@25 cm
	11.8 in	14.6in@9.8 in
Air Inlet Pressure	2bar	3.5bar
	29psi	50psi
Air Consumption	500l/min	500l/min
	18.2cfm	18.2cfm
Air Inlet	G/NPT 1/4"	
Cup	n/a	
Weight(gun only)	446g	
Material	Body	Die-casted Aluminum with built-in stainless steel fluid passages
	Air Cap	Special Selected Brass
	Nozzle/Fluid Tip	High grade stainless steel/hardened steel (optional)
	Needle	High grade stainless steel/hardened steel (optional)



Industrial Spray Gun

Compact Spray Gun
For Release Agent



No O-ring Design



Durable forged body



Wide Pattern



Light Weight Body



TM100A

Nozzle Range		0.3-0.8 mm
Air Inlet Pressure		1.0 bar
		14,5 psi
Material	Body	High Grade Stainless Steel
	Air Cap	Special Selected Brass
	Nozzle/Fluid Tip	High Grade Stainless Steel
	Needle	High Grade Stainless Steel

Heavy-duty Airless Spray Gun

3600psi/250 bar



No O-ring Design



Durable forged body



Wide Pattern



Light Weight Body





TP300

TA501

Industrial Automatic Spray Gun

Full Stainless Steel body





Model	TA501	
Nozzle Range	0.3-1.5mm	
Air Pressure(Material)	Max. 3.0bar	
	Max. 43.5psi	
Air Pressure(Control)	3.0-6.0bar	
	43.5-87psi	
Weight(gun only)	140g/190g(with damp)	
Material	Body	High grade stainless steel
	Air Cap	Special Selected Brass
	Nozzle/Fluid Tip	High Grade Stainless Steel
	Needle	High Grade Stainless Steel



TA501

Industrial Automatic Spray Gun

Full Stainless Steel body



PREMIUM ACCESSORIES



PS2901A 1000ml



Durable stainless steel rivets
for perfect sealing quality



Patented adhesive-free
detachable paint pick up system



PG1601A
600ml



PG1301A
300ml



PG1101A
100ml



PG1301D
300ml




PS2604A
600ml



PS2605A
600ml non-stick

Patented professional Aluminum gravity cup



Black non-stick finish for easy cleaning and also is good for UV paints.



Durable one-piece structure



PG2101A
150ml



PG2602A2 Anodized
PG2602A3 Non-stick
600ml



PG2602A
600ml



PG2906A
1000ml



PG2902A1 Non-stick
1000ml



PG2902A
1000ml

- High flow air passage that 100% compatible with HVLP technology;
- Durable no rubber o-ring design (body).
- Knob type regulator-to-gun fitting
- Compact size and light wight



High Flow Professional Air
Pressure Regulator With Gauge

JYF02 w/ hex nut head
JYF02B w/knob head



Mini Air Pressure
Regulator With Gauge



JYF01

Whip Hose With Swivel Connector



High Flow Professional
Swivel Connectors

SJ10-FG02A / RJG02-MM15A